

**Annex B Technical Offer Form - Pupil Desks for Second Cycle / Secondary School**

**Request For Quotation: No. RFQ/HCR/SYR/22/36  
FOR THE SUPPLY AND DELIVERY OF SCHOOL DESKS**

S/N	Item Description	Offer meets Specification (YES/NO)	Comment
1	The metal body: The metal body to be manufactured from black Iron pipes size ¾ Inch, thickness (2-2.5) mm by folding them up and to be joined together by electrical welding and the ending of all parts to fixed and sharpened with hone and not included sharp outcrops to verify safety standards. The metal body to be painted with base paint after sharpening the outcrops of welding works and welder spots after that the metal body to be polished then painted with aluminum paint		
2	Wood material: All of the box items, the seat and the back were manufactured from first class sewed wood or fourth class Sewed wood that doesn't exist any big knots, moving knots or prone to fall knots or Colloidal pockets. The thickness of wood items after wiping is 2.2 cm (The diameter of the accepted knot, if any, must be less than 1 cm and is not valid for the other party, and the number of knots should not exceed 2 knots on one part ).		
3	The upper face of the box is composed of one piece from MDF panel with thickness of 1.8 cm, is covered from the two sides with Melamine layer (Melamine layer color is as required), is fixed on the box by wooden screws with length of 2 inch and by white glue on condition that the head of screw should be hidden inside the wood and covered with plastic cover color should be as the same Melamine layer color and all the edges of upper face should be filleted and softened. The upper face of the box is drilled with path like pen shape with offset of 5 cm from the front edge taking in consideration that the drilled path should not be penetrating from the two sides.		
4	The box: It consists of of front face, two sides, bottom and intermediate face as shown in the figure. The front face and the two sides are combined with each other by overlapping with tickness of sides, by wooden screws with length of 2 inch and by white glue considering that the head of screw should be hidden inside the wood or by using hidden overlapping with white glue. The bottom of the box is composed of two pieces are connected with each other by using white glue. The bottom is fixed with the front façade and the two sides by using overlapping with sickness of wood, white glue and wooden screw with length of 2 inch. The intermediate face is fixed with the front face, the bottom and the upper face by using wooden screws with length of 2 inch and white glue and all the visible edges should be filleted and softened.		
5	Seat: Manufactured from one piece sewed wood also the back, all angles folded up and the edges are filleted on both sides. All parts are painted with sealer paint after softening the faces and bolt places with paste all parts are painted with lacquer paint as a finishing coat, also the wooden parts could be dyed with one suitable color to unify all wood color. The wooden and metal parts are collected together by 12 bolts length 2.5" in diameter 6 mm with nuts, the edge of the bolt to be cut and sharpened with hone to not be easily removed and not to scratch the students, all screw heads for the seat and bracket must be recessed into the wood, not visible, and covered with a special plastic cover for screws, according to the color of the sewed wood.		
6	Quantity; 400 pieces (Capacity to Supply all required quantity ?)		
	Other Requirements		
7	Delivery lead time: Delivery can be made in batches. Please indicate your batch quantity per delivery.		Please state your delivery time
8	Warranty: The bid shall include defects and liability period with terms of warranty. Minimum acceptable warranty period is Six (6) months.		Please state your warranty period
8	Country of Origin of the Supplier		Please state the country of origin
9	Place of manufacture of the product		Please state the place of manufacture

**Company Name:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Contact Person/Phone:** \_\_\_\_\_

**Date & signature & Stamp:** \_\_\_\_\_