







Section II: Schedule of Requirements





Référence eSourcing: RFQ/2023/45096

Technical specifications for Goods and Comparative Data Table:

LOT 1: Supply and delivery of “**POSTERS**”



Item No	UNOPS minimum technical requirements	Qty	Pictures provided for visual reference ONLY
1	Poster, Bullet Caliber Comparison Chart Iconic Arts (or equivalent) <u>Technical specifications:</u> 50x100cm, -Material: Paper -Theme: Abstract -Shape: Rectangular (Bold & vivid colors.) -Printed on high quality 24lb photo matte paper. Lamination: -Laminated durable tear resistant HD Poster. -Heat sealed Lamination for years of protection. -Laminated High Quality Posters - Bilingual Text: FR / ENG FR:38 ENG:2	40	
2	Poster, Ammunition examples Inert Product LLC – SKU:OTA-971 (or equivalent) <u>Technical specifications:</u> 30" x 30", training posters, - Printed on polypropylene, - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2	5	
3	Poster, Grenade examples Inert Product LLC – SKU:OTA-966 (or equivalent) <u>Technical specifications:</u> 30" x 30", training posters - Printed on polypropylene - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2	5	





4	<p>Poster, Artillery Projectile examples Inert Product LLC – SKU:OTA-1012 (or equivalent)</p> <p><u>Technical specifications:</u> 30" x 30", training posters - Printed on polypropylene - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2</p>	5	
5	<p>Poster, Assault Rifles & Carbines ConversationPrints (or equivalent)</p> <p><u>Technical specifications:</u> -Size: 24x36 inches -Material: Paper -Glossy Poster -Shape: Rectangular -Orientation: Portrait -All images printed on PROFESSIONAL GRADE GLOSSY PHOTO PAPER -Printed using UV resistant inks and professional printing process -Bilingual Text: FR / ENG FR:38 ENG:2</p>	40	
6	<p>Poster, Assault Rifles & Carbines ConversationPrints (or equivalent)</p> <p><u>Technical specifications:</u> -Size: 40x60 inches -Material: Paper -Glossy Poster -Shape: Rectangular -Orientation: Portrait -All images printed on PROFESSIONAL GRADE GLOSSY PHOTO PAPER -Printed using UV resistant inks and professional printing process -Bilingual Text: FR / ENG FR:18 ENG:2</p>	20	

7	<p>Poster, AK-74 Training Poster Inert Product LLC – SKU:OTA-972 (or equivalent)</p> <p><u>Technical specifications:</u> Size: 30x20 inches / 76x50 cm full-color posters, - Printed on polypropylene - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2</p>	5	
8	<p>Poster, RPG-7 Rocket Launcher Training Poster Inert Product LLC – SKU:OTA-974 (or equivalent)</p> <p><u>Technical specifications:</u> 30x20 inc / 76x50 cm full-color posters, - Printed on polypropylene - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2</p>	5	
9	<p>Poster, RPG-7 Rocket Training Poster Inert Product LLC – SKU:OTA-973 (or equivalent)</p> <p><u>Technical specifications:</u> 30x20 inc / 76x50 cm full-color posters, - Printed on polypropylene - Tear resistant - Water resistant - Scratch resistant coating. - Bilingual Text: FR / ENG FR:3 ENG:2</p>	5	
10	<p>Roll up Display</p> <p><u>Technical specifications:</u> -Size:200x100cm -Roll-up material: Aluminium, any color; -Height of roll-up incl. banner: adjustable, min between 1500 and 2000 mm; -Weight: max 8 kg; -Banner: Vinyl silver or black, min 150 dpi color digital print, displayed dimension 1000x2000 mm; -Features: banner can be changed, - Includes transport bag - Image for roll up will be colored pictures with different weapons and ammunition and will be provided by UNMAS</p>	5	



11	Poster, Training Posters (rifle, gun AK47 AK-47 Kalashnikov Soviet) SLAVIN LLC (or equivalent) <u>Technical specifications:</u> Size: 150x100 cm color printed poster <i>(Different posters AK,PK, TT, etc, made from vinyl, with back plated and framed.)</i> - <i>Material: Paper</i> - <i>Size:Medium</i> - <i>Color: Multicolor</i> <i>Orientation: Horizontal</i> - Bilingual Text: FR / ENG FR:28 ENG:2	30	
----	---	----	---

LOT 2: Supply and delivery of “WOODEN POSTER FRAME”

Item No	UNOPS minimum technical requirements	Qty	Pictures provided for visual reference ONLY
1	WOODEN POSTER FRAME Dimension: 50x100 cm - 40 pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	40	
2	WOODEN POSTER FRAME Dimension: 76.2x 76.2 cm- 15 pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	15	

3	WOODEN POSTER FRAME Dimension: 61x91cm - 40 pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	40	
4	WOODEN POSTER FRAME Dimension: 101x152cm – 20 pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	20	
5	WOODEN POSTER FRAME Dimension: 76x50 cm - 15 pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	15	
6	WOODEN POSTER FRAME Dimension: 150x100 cm - 30pcs - made from solid wood; - colour: oak or similar natural colour; - final processing: coating with transparent varnish - back plated and plexiglass; - Width: 5 cm - Depth: 2 cm - Finished with brass D-rings at the back for attaching to the wall	30	

LOT 3: Printing service of “Registers for Weapons Storage Room”

Item No	UNOPS minimum technical requirements	Qty	Pictures provided for visual reference ONLY
1	Registers for weapons storage room (Armurerie) <u>Technical specification:</u> -A4 size (210x297mm), 152 sheets, white paper minimum 70 gr/m, double-side printing, suitable for both pen and pencil. -Cover: Rigid protective cover register, -Binding: 1.5 mm cashiered, with red leather imitation, with printed “name of register”, with printed official UNMAS logo and coat of arms of Central African Republic. -Finishing: Artisanal binding to prevent deterioration, along the 297mm, covered with red or black imitation leather. -Printing: Page number format “Page 1 sur XXX”, Color: black and white printed table, -16 rows solid lines width 1pt-2pt black, -31 horizontal solid columns width 1pt-2pt black, -header row at the top filled RGB205 NB: Table model will be provided by UNOPS	700	 

Delivery requirements — Comparative Data Table

UNOPS REQUIREMENT	
Delivery time	Bidder shall deliver the goods Forty-Five (45) calendar days upon receipt of formal Purchase Order (PO) / Contract.
Delivery place and incoterms rules	DPU Incoterms 2020 in Bangui - UNMAS Office / MINUSCA UCATEX Compound - Office B7 - Avenue des Martyrs, Route de l'Aéroport, République Centrafricaine. UNOPS / UNMAS will provide the necessary clearance documents for customs clearance services.
Consignee details	United Nations Mine Action Services Central Africa Republic c/o MINUSCA-WEHM BP 3338, Avenue des Martyrs, Camp UCATEX, Bangui RCA Bruno BOUCHARDY Attn : Arnold MBAIKI +236 7075-3485 /+236 7075-3480 ArnoldM@unops.org
UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- 20% , without any change in the unit prices or other terms and conditions of the RFQ.