



Section II: Schedule of Requirements

Summary of Requirements Lot-2


ITB for the Supply of Assorted Medical Equipment for Damaturu, Yobe State, Republic of Nigeria



A. Technical specifications for Goods and Comparative Data Table


Supply of Assorted Medical Equipment for the Secondary Health Centers for Damaturu, Yobe State, Republic of Nigeria

Item No	UNOPS minimum technical requirements	Quantity	Is Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
1	Oxygen Cylinder with Trolley & Accessories 	12 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	*medical oxygen cylinder (medium size)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	*push trolley		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	*Valve		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	*Nasal Mask		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	*Flowmeter		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	*Humidifier Bottle & tubes		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
2	Patient Monitor 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	GENERAL DESCRIPTION Patient vital signs monitor, 6		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


parameters, suitable for adults, paediatric/infants and newborn patients. Robust design for use in demanding environment.		
Monitoring 6-parameters: ECG and Heart Rate (HR), Respiratory Rate (RR), SpO ₂ , non-invasive blood pressure, and Temperature.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Adjustable signal amplitude and sensitivity.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Colour flat panel display ≥ 10.4 inches.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Multi-waveform and parameters visualization, up to 7 wave forms simultaneously.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Ability to remove unwanted parameters from display	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Defibrillator sync and protection	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Designed for frequent and easy dismount and disinfection with hospital-grade products.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Automatic self-test and continuous system monitoring.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Built-in rechargeable battery, autonomy of at least 2 hours.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Automatic switch to battery in case of power failure, automatic recharge on connection to mains.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Ain cable at least 3 meter long	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Electrical protection provided by fuses in both live and neutral supply lines.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Power requirements: 220 - 240 Volts - 50/60 Hz	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
Certification: CE & ISO 13485	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


3	Fully Automatic 3 part Haematology Analyser 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Operation: Automation Fully Automatic		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Testing: CBC +3-DIFF, 21 parameters + 3 histograms		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Throughput: 60-70 Samples Per Hour		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Sample Type: Prediluted Mode (20 Microliter); Whole Blood Mode (21 Microliter) +9 Micro-liter for paediatrics		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Temperature: 10-40 Degree Celsius		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Humidity: 20%-90%		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	User Interface: 4 USB Ports, 1 LAN Port		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Air Pressure: 70 kPa ~ 106 kPa		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Data Storage Capacity: Up to 50,000 Results		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Display Type: TFT Touch Screen		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Reagent: Diluent, Lyse, Probe Cleanser (Original QC, calibrators and reagents)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Printout: Thermal recorder, 50 mm width paper, various printout formats.		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	External printer (optional)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certification: CE & ISO 13485		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

4	Fully Automatic Chemistry Analyser 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Operation: Automatic, Discrete, random access, bench top		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Throughput: 200-400 tests per hour with ISE		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Reagent/Sample tray: 80 Reagent and 40 Sample Position,		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Reagent Vol.: 10~45µl step by 0.5µl		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Compartment: 2 ~ 12°C		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Reaction volume 100 µl ~ 360 µl		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Operating temperature: 35 ~ 40°C		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Automatic probe cleaning, liquid level detection & collision protection		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Whole blood testing function for HbA1c		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Automatic dilution for abnormal sample		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Inbuilt barcode reader and Bi-directional LIS interface		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Supply / Freq.: AC 220 ~ 240V, 50/60Hz		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard: GB15979-2002		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certification: CE & ISO 13485		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
5	Finecare Immuno assay Hormone Analyser 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable


	Portable fluorescent instrument used for quantitative determination of concentrations of various analyses in human blood or urine such as: <ul style="list-style-type: none"> • Covid Tests, • D-Dimer, • CRP, • Ferritin, • Hormones, • Tumor maker, • Diabetes mellitus and • Cardiac enzymes. 		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Technologies		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Built-in thermal printer		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	LED touch screen		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	LIS/HIS connection (Direct connection)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	ID Chip		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Test Channel (test cartridge holder)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Supply/Freq.: AC 100-240V, 50/60Hz		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certification: CE & ISO 13485		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard: GB15979-2002		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
6	Oxygen concentrator 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Minimum Capacity (Liter per minute): 5 LPM		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Oxygen Concentration: 93%+/- 3%		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Sound Level: 40dba (50Hz)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

	Flow: Single Flow		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Outlet Pressure: 8.5 psi (58.6 kPa)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Alarm: Audible and visual High/low pressure, low flow, low oxygen, power fail, Oxygen Sensing Device		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Consumption: 220-230V / 50 Hz - 312 Watts Average		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Storage Conditions: 40°C to 70°C,		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	humidity range of 10% to 100%		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


7	Faros Phacoemulsification System (anterior/posterior)	1 Pc	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
				
	Faros Phacoemulsification System		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	The phaco surgical platform features include – SPEEP pump		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	High Frequency Deep Sclerotomy (HFDS)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Powerful pedal, Perfect control of fluidics		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power LED technology		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Anterior & posterior segment device and Infusion system.		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Vitreous Cutter thickness: 20G		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Easy Phaco handpiece Phaco handpiece, reusable with Titanium easyTips		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Pump Type: Peristaltic		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Vitrectomy cutting frequency 10000		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Supply / Frequency: AC 100-240V,50/60		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Quality Certification: CE, ISO		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered



	Safety standard: GB15979-2002		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
8	Instrument set for surgical platform anterior/posterior 	4 Sets	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
1	Diathermy Hand Piece (long) Code: VE 201710	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
2	Diathermy Hand Piece (Short) Code: VE 201712	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
3	Endo-diathermy 25G – Code: VE 201732	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
4	Endo-diathermy 25G – Code: VE 201733	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
5	Diathermy Forcep Bipolar– Code: VE 203902	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
6	I/A Bimanual– Code: VE 65100	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
7	I/A Hand piece – Code: VE 655000	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
8	I/A Quick tip– Code: VE 655035	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
9	Key for Phaco tips – Code: VE800100	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
10	Easy Phaco Hand piece – Code: VG800011	4 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
11	Laser Probe OS4 23G – Code – VK400103	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
12	Laser Probe OS4 Straight – Code – VK400105	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
13	Laser Probe Curve 25G Code – VK400111	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
14	Continuous Flow Cutter 20G Code – VV104110	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
15	Continuous Flow Cutter 23G Code – VV106110	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
16	Continuous Flow Cutter 25G Code – VV105110	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

17	Infusion line 6mm Code – VV123211	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
18	Calburn Trocar system 23G Code – VV123311	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
19	Calburn Trocar System 25G Code – VV125311	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
20	Endo-Illumination 23G Code – VE300103	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
21	Endo-Illumination 25G Code – VV300105	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
22	Phaco Set Incision 2.8 – 3.2mm Code – VV603206	4 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
23	Phaco Set Incision 2.2 – 2.4mm Code – VV603207	4 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
24	Phaco Set Incision 1.6 – 1.8mm Code – VV603208	4 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
25	Irrigation Sleeve 2.2 – 3.2mm Code – VV603209	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
26	Irrigation Sleeve 2.2 – 2.4mm Code – VV603220	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
27	Irrigation Sleeve 1.6 – 1.8mm Code – VV603231	3 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
28	Tubing System for Faros Code – VV621010A	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
29	Phaco pack for Faros Code – VV621011AE	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
30	Vitrectomy 23G pack for Faros Code – VV621213BP	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
31	Air Delivery Line Code – VV690101	2 Boxes	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


9	Dental Ultrasonic scaler 	4 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Ultrasonic scaler with auto-water supply		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Function: Scaling, Perio, Endo irrigation		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Water supply: Auto-water supply		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Foot control pedal or switch		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Handpiece: Metal Scaler		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Main Unit Input: 24VAC 50Hz 1.3A		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


	Power Input: AC100~240V 47~63Hz		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Foot switch battery: 1.5V× 2		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Receiving sensitivity: -114Db		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power: 30VA~48VA		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Vibration frequency of the tip: 25~31KHz		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Primary vibration excursion of the tip: ≤ 100μm		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Output half-excursion: < 2N		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Ultrasonic output power: 3W~20W		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Water pressure: 0.01MPa~0.05MPa		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certification: ISO, CE		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

10	Dental Sinus Lift Instruments 	6 Sets	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Sinus Lift Instruments Set of 12 Pieces		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Implant Dental Dentistry Double Ended Instruments		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Material: Stainless Steel AISI 410 - AISI 420 - AISI 304		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Highly resistant to corrosion and rust		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Fully autoclavable/reusable		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certifications: CE & ISO		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


10	Otoscope 	10 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Fiber optic otoscope with port for pneumatic testing, fiber optic (f.o.) illumination		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Source: Electric		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Current (Battery): 2 AA batteries		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Material: Steel		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Instrument classification: Class I		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard:		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Type: Visual Acuity Examination Apparatus		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Function: triple magnification		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Product type: Welch Allyn otoscope		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Tips: 2.4mm 3mm 4mm 5mm		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Product Warranty: Two years Warranty		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Certificate: CE/ ISO13485		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Quality Certification: CE/ ISO13485		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
11	Ear syringe 	10 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Ear syringe metallic complete with automatic plunger		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Four tips, plate, and two way valve system in plastic case		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Stainless Steel Operating Surgical Instruments		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


	Material: Stainless Steel		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Source: Hydraulic		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Corrosion Resistant		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Reusable		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Warranty: 3 years		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	After-sale Service: Online technical support		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Quality Certification: CE		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard: Others		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

12	Laryngoscope 	6 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	LARYNGOSCOPE SET 4 MC INT. BL. 1-2-3-4		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	BL. 1-2-3-4 – adult standard rechargeable sets (handle + blades) with standard 2.5 V vacuum bulb		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Full range of Mc Intosh & Miller blades		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	latex free, 2.5 V handles work with both alkaline batteries or rechargeable batteries		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	light transmission: 3,000~3,500 LUX with 2.5 V handles		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Autoclavable up to 134° for 5 minutes (approx. 2,000 times and non-magnetic blades)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered


13	Pulse oximeter 	10 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
-----------	--	-------------------	--	---

	Miniature, lightweight device capable of spot-check		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	continuous monitoring of SpO2 and pulse rate		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Suitable for adult, Paediatrics, and neonatal patients		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	2.4" colour LCD prominently displays SpO2 and pulse rate readings		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

14	Breathing Circuit 	6 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Disinfecting Type: undetermined		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Properties: Medical Consumable		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Size: Child, Adult		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Stock: Yes		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Shelf Life: 3 years		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Material: PVC		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Quality Certification: CE		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard: GB/T 32610		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Color: Green, Blue		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Length: 1.5 ~ 1.6M		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

15	CTG Machine 	2 Pcs	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Microprocessor-based fetalmonitor, providing continuous monitoring,		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

	display and recording of foetal heart rate (FHR) and uterine contraction			
	(UC) for antepartum testing and monitoring.		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Fetal Heart Monitor Fetal Doppler (Medical Ultrasound Equipment)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Power Source: Electric		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Material: Metal		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Warranty: 2 years		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	After-sale Service: Free spare parts		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Quality Certification: CE		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Safety standard: MFDS		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

16	Diagnostic Set	6 Sets		
			<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered, including specifications and brand/model offered if applicable
	Optima Neo ophthalmoscope complete		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	with handle, bulb, head, and colour-coded lenses		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Xenon 25V Bulb		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	specula: Reusable specula (2.5 / 3.5 / 4.5 / 5.5 / 9.0mm)		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Single-use specula: 7 x 2.5mm and 7 x 4.00mm		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered
	Spare bulbs for ophthalmoscope & otoscope		<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details of goods offered

B. Delivery requirements and Comparative Data Table:

UNOPS Requirements		Is Bid compliant? Bidder to complete	Details Bidder to complete
Delivery time	Bidder shall deliver the goods within 14 Weeks after Contract signature.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details
Delivery place and	Damaturu, Yobe State, Republic of Nigeria	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details

Incoterms rules	CIF Incoterms 2020, Lagos Seaport of Entry		
Consignee details	UNOPS Nigeria	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details
UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- [insert %, normally it should not exceed 20%], without any change in the unit prices or other terms and conditions of the ITB.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Insert details

C. Inspections and tests

The following inspections and tests shall be performed:

The goods will be inspected and tested by the consignee upon receipt of the goods at the at the delivery place. If any of the goods failed to meet the consignee minimum requirement as per the section II – Schedule of Requirement, the goods will be rejected and return to the supplier at the supplier own cost, and payment will not be made to the supplier until such goods are delivered