



## ANNEX 1: Detailed List of requirements and specifications

#	Equipment List	Specs	Qty	image
1	Autoclave	<p>Suitable for sterilization of full solid eqpt, plastics.            Electric. Compact model. Table top style            Safety lock on front door            Outer surface remains at safe temperature when unit is in operation            At least 3 year warranty            Environmental Operating conditions up to 40C</p>	27	
2	Emergency Shelter (basic tent)	<p>Main materials            Tent, woven PC – ICRC/IFRC Standard,            Groundsheet, Mosquito Netting: Polyester PVC coated.            Poles: 4 metal poles 19mm, 2 fiberglass roof 13,,            Chimney reinforcement: fire resistant material            PEGS: 4T pegs 35 cm            Dimensions: 109 x 29 x 32 cm            Weight: 30KG            Volume: 0.1m<sup>3</sup>            Packing unit: PE bag, with separated webbing bands handle            Contents: Shade cover, outer tent, groundsheet accessories and hammer</p>	27	
3	Examination bed. Couch	<p>Examination Couch, Fixed Height, 250Kg SWL,            Adjustable Headrest Fixed Height: 82cm            Padding Thickness: 5cm            Foam Density: 36g/m2            Total Length: 195cm            Width: 71cm            Height: 82cm            Loading Weight: 280Kgs            Certifications: CE, FDA, ISO9001-2008, ISO13485-2007; Resistant to rust</p>	27	
4	Dressings tray + set	<p>Instrument set (One each)</p> <ul style="list-style-type: none"> <li>- lister Bandage scissors 14cm</li> <li>- Deaver operating 1 scissors straight B/B 14cm</li> <li>- Standard tissue forceps 14,5cm straight 1x2 teeth</li> <li>- Thumb and tissue forceps 14,5cm</li> <li>- Pean Hemostatic forceps delicate model straight 14cm</li> <li>- Doyen channeled director 14cm</li> <li>- Instrument box 180x80x40 mm</li> </ul>	27	

5	Dressing trolley	Length: 0.72M Width: 0.52M Height: 0.13M Resistant to rust	27	
6	Resuscitation trolley	MULTIPURPOSE TROLLEY Length: 0.70M Width: 0.90M Height: 1.27M Resistant to rust	27	
7	Foot care set (diabetics)	Instruments (one each) 1. Monofilament 2. Turning folk 3. Doppler 4. Nail clipper 5. Scalpel 6. Scissors 7. Tooth forceps/Non tooth forceps 8. Carry pot 9. probe	27	
8	Injection tray	Length: 0.40M Width: 0.30M Height: 0.21M Stainless steel	27	
9	Suturing tray	INSTRUMENT TRAYS WITH COVER Length: 0.40M Width: 0.30M Height: 0.21M	27	
10	Lamp or head lamp	Led Examination lamp [ <i>SHADOWLESS HIGH-PERFORMANCE LED LIGHT WITH ADJUSTABLE ARM. THE ABSENCE OF UV OR INFRARED IN THE LIGHT BEAM IS SUITABLE TO LIGHT HEAT - SENSITIVE PARTS. FOLDABLE STAINLESS-STEEL BASE WITH 5 X Ø50 MM. CASTORS.</i> ]  Length: 0.86M Width: 0.56M Height: 0.18M	27	
11	Diagnostic set	Ophthalmoscope+ Otoscope, 3.5V, 2 lith. Batt, w/acc	27	

12	Nebulizer	<p>HEAVY DUTY PROFESSIONAL NEBULIZER</p> <p>Length: 32.00CM Width: 15.00CM Height: 28.00CM</p>	27	
13	Medication fridge	<p>With alarm and door lock Volume [liters]: 130/ or less than 50-liters capacity</p> <p><b>Shelves</b> Shelf material: Plastic coated steel</p> <p><b>Construction</b> Cabinet Finish: Powder coated steel Interior Material: Coated aluminum plate</p> <p><b>Temperature settings</b> Default set temperature: 5<sup>0</sup>C Default temperature range: Between +2<sup>0</sup>C to +8<sup>0</sup>C</p> <p><b>Refrigeration:</b></p> <p><b>Climate Rating</b>      Climate Class N                                  (+16°C to +32°C)</p> <p><b>Cooling Type</b>      Forced Air</p> <p><b>Defrost Type</b>      Automatic</p> <p><b>Refrigerant</b> R 600a</p> <p><b>Power</b> <b>Power connection: 10A plug &amp; lead</b> <b>Power consumption 930</b></p>	27	
14	Delivery bed	<p>TABLE, DELIVERY 180x80x80cm + gynecological examination</p> <p>Rust resistant</p> <p>Capacity up to 250kg</p>	27	
15	Delivery sets & bundles	<p>Delivery sets (one each)</p> <ul style="list-style-type: none"> <li>- Mayo operating scissors curved 17cm</li> <li>- Mayo operating scissors straight 17 cm</li> <li>- Bar Clamp</li> <li>- Beacham amniotome 26cm</li> <li>- Backhaus towel forceps 13cm</li> <li>- Chéron dressing forceps 24 cm</li> <li>- Thumb and tissue forceps toothed 1:2 16cm</li> <li>- Thumb and tissue forceps 16cm</li> <li>- Rochester-Ochsner Haemostatic forceps straight toothed 1:2 18cm</li> </ul>	27	

		<ul style="list-style-type: none"> <li>- Rochester-Pean haemostatic forceps curved 16cm</li> <li>- Doyen channeled director 14cm</li> <li>- Metal female catheter charr/F.G. 12</li> <li>- Instrument box 300x150x60 mm</li> </ul>		
16	Haemoglobin ometer	HAEMOGLOBIN PHOTOMETER tropicalized, AC/4 AA battery	27	
17	Speculum: Sim (set)	Vagina Speculum_ DISPOSABLE, STERILE. BOX OF 180 PCS. SMALL Ø 20 MM	27	
18	Lockable DD box	Medication combination lock box Box L13"x W9.5"x H9" First Aid Box with Individual Lock Large Silver	27	
20	Weighing scale (non-digital)	ADE Mechanical scale 160kg M308800 Professional type.	27	
21	Stove, cooker	STOVE, PRESSURE, For use with kerosene, capacity 2.4l, single burner, w/acc	27	
22	Shelves or Rackings	Height 3.05m x Length 2.44m x Width 1.22m with shelve load 400kg	27	
23	Clinical Waste bins	Colour-coded pedal bins for outer Island healthcare facilities. Small size bins One each yellow, red, blue, black	27	

24	Solar pressure pump/ Submersible solar pump (Off Grid)	<p>1 Battery 12v 80 Ah Voltage: 12V Power: 180W - Solar Panel and Regulator Requirement should be included.</p> <p>1 solar Panel 270W(min) Solar Panels or deep cycle batteries Brush Motor Head: 15m Inlet and Outlet: 1inch BSP Current 15A Max Flow (L/Hr): 1500 Clear, free from solid or abrasive substances, Overall Dimension (cm): 26X 13X 15 1 overhead tank: 500gallon 1 controller 20A 1 Caple wire 2.5mm x 10m</p>	27	 <p style="text-align: center;">SURFACE PUMP</p>
25	Solar distillation system	<p>Solar water distillation unit</p> <p>Suitable for the Pacific outer island healthcare facilities. Low maintenance. At least 5 year warranty. Easy setup Minimum daily output 15 liters/day</p>	27	

Note: Photos are just guide based on requirements