

Amendment 2 of 2 to the ITB: Supply of Armoured Doors

RFQ Reference No.: 90801_ITB_CAR_Armoured Doors_15_04

Date: January 29th, 2015

Dear Sir/Madam,

Kindly note that UNOPS is hereby amending the above-mentioned ITB as per below:

Page 15, Annex C, Technical Specification (Excel Sheet)	
THE FOLLOWING:	IS HEREBY AMENDED TO:
Armoured door fabricated with 6mm outer plate	Armoured door fabricated with 6mm steel plate, reference picture see Annex A
Wall Opening of 1935mm x 830mm	Wall Opening of 1935mm x 830mm
Clear opening 1870 x 750mm (door opening 180°)	Clear opening 1870 x 750mm (door opening 180°)
4 bolts, 4 dog bolts	8 bolts (40mm diameter) 4 front side and 4 back side
7 lever key lock	7 lever key lock, incl 3 copies of the key
20mm overlap on door	No longer Required
door frame included	Full steel door frame included
Fabricated with internal issue gate door	Fabricated with internal issue gate door (lockable)
sliding bolt to lock with 50mm expanded steel mesh frontage	sliding bolt to lock with 50mm expanded steel mesh frontage, mesh specification see graphic Annex B
Non-deteriorating insulation material	Non-deteriorating insulation material
Rustproof undercoat for final painting	Rustproof undercoat for final painting
Weight must not exceed 240kg	Weight must not exceed 240kg
Must offer excellent protection against fire and skilled methods of attack	Please include product brochures, certificates and test results if existing


Please note that the amended parts are in **bold text**.

Kindly be reminded that as per amendment No.1 dated January 28th the deadline for the ITB is extended to February 5th 2015.

Annex A:



Annex B



This shall form part of the official solicitation documents. Please be guided accordingly.

Thank you.

Approved by:

Monica Siles
Deputy Director, Support
Peace and Security Cluster, GPSO