

SCOUPS FOURTH FLOOR PROJECT
Addendum For Mechanical Works

Item	Description	Qty.	Unit	Rate	Amount
				US \$	US \$
A	<u>Supply and install rock wool panel acoustic insulation of 2" thickness wrapped with aluminum layer to insulate the existing suspended 4" HDPE drainage pipes, all as per drawings and engineer's instructions.</u> 4" HDPE	40	Mr.		
B	<u>Supply, install and commissioning of stainless steel single bowl kitchen sink, complete with: chrome plated mixer for kitchen sinks, supports, waste outlet, tail piece, P-trap chrome plated, chrome plated 13mm pipe as as per drawings and engineer's approval.</u>	1	nr		
C	<u>Supply, install, test and commission Porcelain Wall Hung W.C for Handicapped includes stainless steel hand reel and all other related accessories., type Ideal Standard, Roca, or E.A, complete with recessed cistern and all HDPE drain and water pipes with fittings needed to complete the work and connection to existing pipes as per direction of the supervisor engineer.</u>	1	nr		
D	<u>Supply, install, test and commission white glazed fireclay, semi pedestal, wash basin of size (50x40cm) for Handicapped include stainless steel hand reel and all other related accessories, complete with mixer, UPVC waste fittings and siphon, angle valve, trap, plug and chain, all associated water supply pipes, waste to slab level and brackets screwed to concrete or block work, sealing joint to worktop or wall with mastic sealant, complete as specified and as shown on drawing and direction of the supervisor engineer.</u>	1	nr		
Total Carried To Next Page (US \$)					0

A	Proveional sum <u>Supply & install firefighting system to be accomplished by Lahavot contractor on site. The system consists of piping network, sprinkler nozzels, fire hose cabinet, fire extinguisher, with all related fittings, valves and accessories, including connection with existing system. The main contractor should coordinate with fire contractor in executing the works & arranging of services ceiling works of this item to be implemented with full coordination with the cliant and subject to the engineers approval (overhead and profit for this item will be added to the actual cost by 15%)</u>	1	L.S	15000	15000
Grand Total Price (US \$)					

Notes:

1- All flexible air conditioning ducts (Specified in diffuser item) should be of fire rated type

2- All exhaust and fresh air supply fan (Specified in fans item) should be supplied with weather/ water proof disconnect switch for maintenance purpose.