

Reply to Supplier's Inquiries for HCR-IRQ-BGD-2018-SUP-ITB-104 Procurement of Arial Lift Truck ,Tipper Truck Compactor, Compact loading, Shovel, For UNHCR Iraq Baghdad

Serial No	Question	Question category	Answer	Bidders Name	Email
1	<ul style="list-style-type: none"> ❖ What is the period of completion for this bid, and on what incoterm basis shall we present our quotation CIP,CIF,EXW, or others, please define ❖ Is the goods exempted from the IRAQI Custom tariff ❖ Shall we fill the annexes (C,C1,C2,C3), or it will be completed by your side ❖ Shall we submit the Annex B (Price proposal) only on our company letterhead form, or the whole annexes? ❖ If our company is not the manufacturer, shall we present a 	Procurement	<ul style="list-style-type: none"> ❖ Please refer to Annex B form where you are supposed to indicate the delivery time in days from the date of receiving the purchase order, set up time and mobilisation time as well. Apologies for missing the Incoterm in our tender documents. The Incoterm should be DAP-Baghdad Iraq. ❖ UNHCR is exempt from all direct taxes and customs duties. With this regards, <u>price has to be given without VAT.</u> ❖ Please refer to the right version of the tender documents in the UNGM Website Annexes C, C1,C2 and C3 were withdrawn by a revision notice on the 20th September 2018 Please disregards these versions. ❖ Submit Annex B only on your company letter head without changing the original contents in this financial offer form. Adhere to complete all the requested information in this Annex. No need to have all other annexes in your letter head. ❖ Yes, it is essential to submit these documents as part of your technical proposal. 		

	<p>letter of authorization and a letter for warranty from the manufacturer?</p> <ul style="list-style-type: none"> ❖ Is there any pre - delivery inspection in the manufacturer premises, If yes, shall the expenses will be borne by our company. ❖ Shall we sign the general condition of contract (contract for provision of goods), and the UN Supplier code of conduct, and enclose them in the offer? ❖ Does this tender require a bid bond? ❖ Is there any spare parts required? <p><u>Incoterms (2010)</u></p> <ul style="list-style-type: none"> ❖ Place of delivery ❖ Delivery time ❖ Performance Bond amount (if applicable) ❖ Shall we attach catalogues for supplied equipment with technical offer 	Procurement	<ul style="list-style-type: none"> ❖ No there is no pre-delivery inspection required. ❖ Yes these annexes should be initialled and signed on each page before submission. They should be returned together with your other profile documents. ❖ No this tender does not require a bid bond ❖ The Only spare parts expected are all the accessories and extras (tool box, First Aid Kit) that comes with the purchase of new vehicles such as spare wheels, other service parts provided by the manufacturer ❖ DAP Baghdad ❖ Refer to Annex B for you to propose your lead time. ❖ No performance bond is required. ❖ Yes the catalogues are essential and should be attached with your technical profiles 		
--	---	-------------	---	--	--

	<ul style="list-style-type: none"> ❖ The offers can be quoted in USD or EUR and, in case of contract award, payments will be processed in the offered currency. 		<ul style="list-style-type: none"> ❖ Your separate Financial Offer must contain an overall offer in USD. <u>For evaluation purposes only</u>, the offers submitted in currency other than US Dollars will be converted into US Dollars using the United Nations rate of exchange in effect on the date the submissions are due. ❖ Payments will only be processed in USD. ❖ Financial Offer Form has been changed from IQD to USD and published in the UNGM Website 		
2	<ul style="list-style-type: none"> ❖ For Garbage Compactor ,You mentioned in specifications " type of waste container –Rear loader – GVM 9 + 1 kgs" what does it mean?" ❖ For Garbage Compactor, You mentioned in specifications "Load capacity – 10 METER" Does it mean 10m3? ❖ For Garbage Compactor: You mentioned in specifications" GROUND CLEARANCE (770 MM), do you mean the rear end high of the chassis from the land. ❖ For Garbage Compactor: For the (other extras).do you mean the truck shall be supplied with read bin lifter 	Technical Specifications	<ul style="list-style-type: none"> ❖ It mean the REAR Hopper Capacity =1 m3 ❖ It mean Load capacity 9m3 and REAR Hopper Capacity =1 m3, so the total capacity is 10m3 ❖ Yes ❖ No, it is not necessary 		

	<ul style="list-style-type: none"> ❖ For Aerial lift truck, You mentioned in specifications" GROUND CLEARANCE (770 MM), do you mean the rear end high of the chassis from the land ❖ For Tipper Truck, You mentioned in the specifications" rear loader GVM 6000 Kg. (Do YOU MEAN THE PAY LOAD OR THE G V W" ❖ For Tipper Truck, Compact loading shovel, do you require a skid steer, if yes, there is there is no digging depth for skid steer, please explain. ❖ For Tipper Truck, Did the superstructure and chassis should be same origin? Like if chassis made in Japan and upper structure should be same? ❖ For Tipper Truck, you mentioned in specifications "rear loader GVM 6000 Kg. (do you mean the Pay Load or the GVW) ❖ You mentioned in the specifications "Ground Clearance (770 mm) do you mean the rear end high chassis from the land? 	Technical Specifications	<ul style="list-style-type: none"> ❖ Yes ❖ It is means G V W ❖ No, skid steer is not required ❖ it is not necessary the superstructure and chassis to be same origin ❖ It means G V W ❖ yes 		
--	--	--------------------------	---	--	--

	<ul style="list-style-type: none"> ❖ For Compact Loading shovel, do you require a skid steer Loader? If yes, there is no digging depth for skid steer, please explain? ❖ Did upper structure of UAE or Turkish accepted for this tender? ❖ The aerial platform specs, as it mentioned 8 tons, is it correct? Plus, what about the height of platform? ❖ For the Mini Shovel, what is the bucket Capacity? ❖ For tipper, you mentioned that cargo size is 395mm, X200mm*75mm, it will not compatible with the required load capacity 5m3. Explain please? ❖ Warranty requirements for the Compact Loading Shovel 		<ul style="list-style-type: none"> ❖ No, skid steer is not required ❖ Yes ❖ The aerial platform specs is 7 tons and height of platform is 16 m. ❖ Not less than 0.75 m3 ❖ The cargo size is 395mm, X200mm*75mm which is equal to 5.92m3, it is compatible with the required load capacity of 5m3 because the traffic law in Iraq does not allow full filling of the tipper, so the body of the tipper must be bigger than the capacity of required loading ❖ Warranty period will be minimum one year (365 days) or 2000 running hours from the date of commissioning whichever comes first. 		
--	---	--	--	--	--